Kinematics

"Kinematics is the study of movement only (without studying its cause, such as force)"

Distance


Length of path from one point to another irrespective of direction.

- Distance is scalar quantity
- SI unit is meter (m)

Displacement

Shortest / straight directed path from initial to final point.

Example



from A to B and back.

distance = 10 m (5m + 5m)


displacement = 0 m (5m + (−5m))

+923004723260

- Distance from A to C = 7m
- Displacement from A to C:

$$\sqrt{3^2 + 4^2}$$

$$= 5m$$



- Displacement is vector quantity (its negative if direction of object reverses)

- SI unit of displacement is meter (m)

Speed

Distance per unit time

$$\text{Speed} = \frac{\text{distance}}{\text{time}} \quad ; \quad v = \frac{s}{t}$$

- Speed is a scalar quantity
- SI unit : $m\,s^{-1}$

+923004723260

Velocity

Displacement per unit time

$$\text{velocity} = \frac{\text{displacement}}{\text{time}}, \quad v = \frac{s}{t}$$


- velocity is a vector quantity
- SI unit: $m\,s^{-1}$

Example

A person runs from A to B and B to C as shown in diagram, find his speed and velocity (time = 70 Sec)

$$\text{Speed} = \frac{\text{distance}}{\text{time}}$$

$$= \frac{80}{70} \approx 1.1\ m\,s^{-1}$$



$$\text{Velocity} = \frac{\text{displacement}}{\text{time}}$$

$$= \frac{40}{70} \approx 0.57\ m\,s^{-1}$$

+923004723260

Acceleration

Change in velocity per unit time

$$\text{acceleration} = \frac{\text{final velocity} - \text{initial velocity}}{\text{time}}$$

$$a = \frac{v-u}{t}$$

$v \longrightarrow$ final velocity
$u \longrightarrow$ initial velocity
$t \longrightarrow$ time

- acceleration is vector quantity
- SI unit: ms^{-2}

Note: If velocity of an object decreases with time, it is said to be decelerating means accelerating negatively.

Example: A car increases in velocity from $10\ ms^{-1}$ to $25\ ms^{-1}$ in 12 sec, find the car's acceleration.

Sol:

$$v = 25\ ms^{-1},\ u = 10\ ms^{-1},\ t = 12\ sec$$

$$a = \frac{25-10}{12}$$

$$a = \frac{15}{12} = 1.25\ ms^{-2}$$

+923004723260

Example: A racing decelerates at $0.8\ ms^{-2}$ and comes to rest in 60 Sec, find its velocity when brakes were applied.

Sol:

$$a = -0.8\ ms^{-2}, \quad V = 0\ ms^{-1}, \quad U = ?$$

$$t = 60\ Sec$$

$$a = \frac{V - U}{t}$$

$$-0.8 = \frac{0 - U}{60}$$

$$\Rightarrow U = 60 \times 0.8$$

$$U = 48\ ms^{-1}$$

Free-fall Motion:

falling motion in the absence of air resistance, such as, a steel ball dropped from rest, a heavy stone falling downwards etc

- In free fall motion, the velocity increases at the rate of approximately $9.8\ ms^{-1}$ every second.

therefore, free fall acceleration is $9.8\ ms^{-2}$

$$g = 9.8\ ms^{-2} \quad \text{on Earth}$$

(for object thrown upwards: $g = -9.8\ ms^{-2}$)

+923004723260

* value of g on different planets is different depending upon their gravitational field strength.

* Equations of Motion (Compulsory for Edexcel Students)

. equations of motion provide mathematical relationship between basic terms used in kinematics such as:

v: final velocity, u: initial velocity, a: acceleration

s: displacement t: time

* These equations apply when motion is linear and uniformly accelerated

(1) $v = u + at$

(2) $s = ut + \frac{1}{2}at^2$


(3) $v^2 = u^2 + 2as$


(4) $s = \left(\frac{v+u}{2}\right)t$

+923004723260


(Graphs of Motion)

- **Distance - Time Graph**





* Gradient = speed



OA : Constant Speed


AB : object at rest


BC : Constant speed (more gradient, more speed)


* The key difference between distance - time and displacement - time graph is that distance - time graph remains unchanged whether object reverses direction, as distance is scalar. However, displacement becomes negative in graph if object reverses direction.


+923004723260

Speed - Time Graph (v - t graph)










$\frac{y}{x}$ → instantaneous acceleration

+923004723260


• Speed - time Vs velocity - time graph

Example: A steel ball is dropped from rest, it hits a hard surface and bounces several times. Draw its velocity - time and speed - time graph.



* Velocity - time graph

(Velocity is vector, it is negative when object reverses direction)




* Speed - time graph

(Speed is scalar, it is not negative even when object reverses direction)

+923004723260

1 The speed–time graph for a racing car is divided into four sections, P, Q, R and S. The car starts the race but soon crashes into a wall of tyres.



Which sections of the graph show that there is an acceleration that is changing?

A P, Q, R and S

B Q, R and S only

C Q and R only

D R and S only

* There is a change of gradient at these points

2 A steel ball is dropped from the top floor of a building. Air resistance can be ignored.

Which statement describes the motion of the ball?

A The ball falls with constant acceleration.


B The ball falls with constant speed.

C The ball falls with decreasing speed.

D The ball falls with increasing acceleration.

* free-fall motion, uniform acceleration of $9.8\ ms^{-2}$

3 The diagram shows a velocity–time graph for an object which is accelerating.



$a = \frac{v-u}{t}$

$a = \frac{120-20}{40}$

$a = 2.5\ ms^{-2}$

What is the acceleration of the object?

A $0.40\ m/s^2$ **B** $2.5\ m/s^2$ **C** $3.0\ m/s^2$ **D** $100\ m/s^2$

+923004723260

1 Fig. 1.1 is a speed–time graph for an ice skater.




Fig. 1.1

(a) Describe the motion of the skater between $t = 0$ and $t = 3.0$ s.

Constant speed

..... [1]

(b) Calculate the distance travelled by the skater between $t = 0$ and $t = 3.0$ s.

area of rectangle: $3 \times 11 = 33$ m

distance = 33 m [2]

(c) (i) State what is meant by deceleration.

negative acceleration (acceleration when speed decreases)

..... [1]

(ii) Draw a tangent to the graph at $t = 9.0$ s.

Use the tangent to calculate the deceleration of the skater at $t = 9.0$ s.

$$\text{Gradient} = \frac{4 - 0.2}{11 - 5.2} = 0.65\ \text{m s}^{-2}$$

deceleration = $0.65\ \text{m s}^{-2}$ [3]

[Total: 7]

DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
DO NOT WRITE IN THIS MARGIN
+923004723260